


## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



62.97

# CATLEYA PLANTS



**SPECIAL  
PRICE LIST  
1947**

*Clarelen Orchids*

**C. K. Schubert**

Fox Bluff on Lake Mendota

Madison, Wisconsin, U. S. A.



# CATTLE PLANTS

SPECIAL  
PRICE LIST  
1917

*Charles O. Schuber*

C. K. Schubert

Madison, Wisconsin, U. S. A.

Fox Bluff on Lake Mendota

# CATTLEYS

## SPECIAL PRICE LIST FOR 1947

This special list of Cattleya hybrids is offered for immediate sale during the 1947 shipping season. All plants listed were raised by Clarelen Orchids from outstanding studs obtained over a period of 17 years. They combine high genetic quality with great vegetative vigor. Many of the hybrids are presented here for the first time. We believe the range of types is large enough to satisfy the needs of all orchid growers. The first part of the catalogue is devoted to unifoliate hybrids of Cattleya or the intergeneric hybrids between Cattleya and Laelia, Brassavola or Sophronitis. This group includes the 'regular' Cattleyas, such as make up the majority of exhibition forms and supply nearly all of the commercial cut flowers.

The second part of the catalogue includes hybrids with one or more bifoliate Cattleya parents. These multiflowered, highly colored, two-leaved Cattleyas are becoming more and more popular in this country and abroad, as evidenced by their prominent display in recent shows and exhibits. They all have fairly small flowers, as judged by the usual standards, and it is to be expected that their hybrids will also be smaller than the modern unifoliate hybrids. This will be of definite advantage to those who seek a substitute for the difficultly-grown Vandas and Odontoglossums; a substitute which at the same time is more vigorous, better adapted to a wide range of cultural conditions, and which has many flowers of heavier texture. Clarelen Orchids is happy to be able to present what is perhaps the largest selection of the bifoliate ever to be offered in the United States.

Plant sizes range from communities to 4½" pots. All community pots are standard 4" pots, with a minimum of 10 plants per pot, although the average number is 12 or more. The plants will be ready for 2" or 2½" pots before winter.

All plants are available in quantities large enough to preclude the need for substitution. Terms: cash with order; \$10.00 minimum; packing free of charge; shipping costs extra; shipping season closes November 5th.

*Clarelen Orchids*

# CATTLEEYAS

SPECIAL PRICE LIST FOR 1947

This special list of Cattleya hybrids is offered for immediate sale during the 1947-48 growing season. All plants listed were raised by Charles Oberlin, a distinguished plant breeder, and are of high quality. They combine high quality with the vigor of the Cattleya parent. Many of the hybrids are presented here for the first time. The range of types is large enough to satisfy the needs of all collectors. The catalog is devoted to unilobate hybrids of Cattleya and Cymbidium. Between Cattleya and Cymbidium, there are two groups: the Cattleya group and the Cymbidium group. Such as make up the majority of exhibition forms in the Cattleya group, such as make up the majority of exhibition forms in the Cymbidium group. Commercial cut flowers.

The second part of the catalog includes a list of the Cattleya parents. These multiflowered, highly colored, two-lipped plants are the most popular in this country and abroad. They are the most popular in recent shows and exhibits. They all have fairly small flowers, but the standards, and it is to be expected that their standards will be of the highest quality. This will be of definite advantage to the collector. The difficult-to-grow Vandas and Odontoglossums are also included. These are more vigorous, better adapted to a wide range of cultural conditions, and produce many flowers of heavier texture. Charles Oberlin's Cattleya group is perhaps the largest selection of the bilobate group to be offered in the United States.

Plant sizes range from communities to 4 1/2" pots. All community plants are in 4" pots with a minimum of 10 plants per pot, although the average number is 12-15. The plants will be ready for 2" or 2 1/2" pots before winter.

All plants are available in quantities large enough to preclude the need for extra. Terms: cash with order; \$10.00 minimum; packing free of charge; shipping extra; shipping season closes November 5th.

Charles Oberlin



## UNIFOLIATE CATTLEYA HYBRIDS

Hybrid No.	NAME AND DESCRIPTION	Pot Size	Price Per Pot
20	<b>C. (MONDONI x REX) x C. GIGAS var. FRAU MELANIE BEYRODT</b>  This mating is between a fine yellow and a white, each with purple lips. The plants which have already bloomed are of large size and pleasing form with white petals and sepals and deep purple lips. Late summer and early autumn.	4½"	\$15.00
21	<b>LC. HELSTON A.M., M.O.S. x LC. (SARGON x C. DIANA)</b>  An exceptionally good Helston crossed with our most outstanding stud plant. Both bloom in the last quarter of the year.	4"	15.00
45	<b>BLC. QUEEN OF THE BELGIANS x BC. MARIE MARIE var. PERFECTION</b>  Each parent produces flowers of deep phlox, with large orange-yellow areas in the throat of the lip. Good texture. Autumn. Ready for 4" pots.	2"	6.50
48	<b>C. (MONDONI x REX) x C. KING GEORGE var. MAGNIFICA</b>  Both plants have petals and sepals of maize yellow, and lips of deep purple marked with orange. The first blooms in summer and the second in autumn.	3"	7.50
54	<b>LC. (VALENCIA x C. MONT ROYAL) x BC. CORRIENTES var. MAGNIFICA</b>  Mallow pink petals and sepals combined with a dark aster purple lip on the first parent should accenuate the fine qualities of an outstanding variety of this famous Brasso. Both flowers firm, large and of good form. October.	3"	8.00
62	<b>C. (MOSSIAE x C. FLAMMEA) x L. PURPURATA var. MARIE LOUISE</b>  Both parents are spring bloomers. The first parent has a very desirable habit of growth and is very floriferous, while the second is one of the finest of the Laelias.	3"	6.50
65	<b>LC. BRITTANIA ALBA x LC. CANHAMIANA ALBA</b>  Flowers of both parents are of extra fine shape and texture, with sepals and petals of pure white and lips of deep purple.	3"	9.50
71	<b>LC. CANTAB x BC. (B. DIGBYANA x C. METEOR)</b>  The first parent is dark throughout with a broad, ruffled lip. The second parent has a large, fringed Brasso lip with medium phlox petals and sepals. March.	3"	8.50

*Clarelen Orchids*

# UNIFOLIATE CATTLEYA HYBRIDS

Hybrid No.	NAME AND DESCRIPTION	Pot Size	Price Per Pot
20	C. (MONDONI x REX) x C. GIGAS var. FRAU MELANIE BEYRODT This mating is between a fine yellow and a white with deep purple tips. The plants which have already bloomed are of large size and pleasing form with white petals and sepals and deep purple tips. Late summer and early autumn.	11 1/2"	\$12.00
21	LC. HELSTON A.M., M.O.S. x LC. (SARGON x C. DIANA) An exceptionally good Helston crossed with Sargon and Diana. ing and plant. Both bloom in the last quarter of the year.	"	12.00
25	BLG. QUEEN OF THE BELGIANS x BC. MARIE MARIE var. PERFECTION Each parent produces flowers of deep pink, with large yellow areas in the throat of the lip. Good texture. Autumn. Ready for 4" pots.	"	6.00
28	C. (MONDONI x REX) x C. KING GEORGE var. MAGNIFICA Both plants have petals and sepals of rosy yellow and tips of deep purple marked with orange. The first bloom in autumn and the second in autumn.	"	7.50
34	LC. (VALENCIA x C. MONT ROYAL) x BC. CORINTHES var. MAGNIFICA Mellow pink petals and sepals combined with a dark narrow purple tip on the first parent should approximate the quality of an outstanding variety of the famous Bicolor. Both flowers firm, large and of good form. October.	"	8.00
62	C. (MOSSIE x C. FLAMME) x L. PURPURATA var. MARIE LOUISE Both parents are spring bloomers. The first parent has a very desirable habit of growth and is very floriferous while the second is one of the finest of the Lactias.	"	8.50
65	LC. BRITANNIA ALBA x LC. CANHAMANA ALBA Flowers of both parents are of extra fine shape and texture with sepals and petals of pure white and tips of deep purple.	"	9.20
71	LC. CANTAB x BC. (B. DIGBYANA x C. METEOR) The first parent is dark throughout with a broad, ruffled lip. The second parent has a large, fringed Bicolor lip with medium phlox petals and sepals. March.	"	8.50

Charles Oakes



Hybrid No.	NAME AND DESCRIPTION	Pot Size	Price Per Pot
74	<b>LC. (MORNAY x C. MONDONI) x C. DOWIANA AUREA</b> Both parents have yellow petals and sepals with very dark purple lips. The hybrid is very vigorous.	3"	\$7.00
76	<b>BC. GRAND MONARCH x C. TRIANAEL.</b> This is a mating between an early autumn and a winter blooming parent. Both are medium dark and with darker lips set off by orange areas. The lip of the Brasso is overlaid with red.	3"	8.50
85	<b>SLC. ALBALIA x LC. (SARGON x C. DIANA)</b> The plant of SLC. Albalia used as a parent has large pale phlox flowers with purple lips. It was mated with a selected stud of our famous Sargon-Diana. November-December.	3"	6.50
109	<b>C. (DUPREAN Ax C. BLETCHLEY PRINCE) x LC. (MASSASOIT x C. FABIA)</b> The former parent blooms in the late spring and has all of the good qualities of Dupreana, while the second, a freely flowering type with very dark flowers, is autumnal.	3"	7.50
124	<b>C. (MOSSIAE x FLAMMEA) x C. GIGAS</b> The seed parent blooms in May and June. Its flowers are large, phlox in color, with a Mossiae lip. The gigas parent has a lip of solid purple, marked with clear yellow eyes at the opening of the throat.	2"	4.50
135	<b>LC. (MASSASOIT x C. FABIA) x BC. APOLLO var. DUKE OF YORK</b> The former parent is a summer-blooming selection from a free-flowering hybrid family whose main period of flowering is autumnal. Both parents have dark flowers with reddish purple lips marked with yellow.	2½"	7.50
143	<b>BLC. CLIFTADA x LC. (SARGON x C. DIANA)</b> The Cliftada parent has a smoothly-distributed phlox color in petals and sepals. The lip is purple with a centrally located yellow area at the opening of the throat. Winter and spring.	2"	6.50
174	<b>BC. MINERVA (C. Dowiana aurea x BC. Mrs. J. Leeman)</b> Fine forms of these well-known parents were used in the re-making of an old favorite. Both have yellow petals and sepals with dark lips. The Mrs. J. Leeman blooms in January.	2"	3.00
177	<b>LC. (MASSASOIT x C. FABIA) x LC. (C. TITYUS x LC. ASBURY)</b> Both parents produce dark flowers of good size and substance. The first plant blooms in late autumn or early spring.	2"	3.00

*Clarelen Orchids*

Hybrid No.	NAME AND DESCRIPTION	Pot Size	Price Per Pot
171	LC. (MORNAY x C. MONDONI) x C. DOWIANA AUREA Both parents have yellow petals and sepals with very dark purple lips. The hybrid is very vigorous.	3"	\$7.00
176	BC. GRAND MONARCH x C. TRIANAELI This is a mating between an early autumn and a winter blooming parent. Both are medium dark and with darker lips set off by orange areas. The lip of the Brasso is overlaid with red.	3"	\$8.50
85	SLC. ALBIA x LC. (SARGON x C. DIANA) The plant of SLC. Albia used as a parent has large pale phlox flowers with purple lips. It was mated with a selected seed of our famous Sargon-Diana. November-December.	3"	\$8.00
109	C. (DUPREAN x C. BLETCHELY PRINCE) x LC. (MASSASOIT x C. FABIA) The former parent blooms in the late spring and has all of the good qualities of Duprean, while the second, a freely flowering type with very dark flowers, is autumnal.	3"	\$7.50
124	C. (MOSSIAE x FLAMMEA) x C. CIGAR The seed parent blooms in May and June. Its flowers are large, phlox in color, with a Mossiae lip. The cigar parent has a lip of solid purple, marked with clear yellow eyes at the opening of the throat.	3"	\$7.50
135	LC. (MASSASOIT x C. FABIA) x BC. APOLLO var. DUKE OF YORK The former parent is a summer-blooming selection from a flowering hybrid family whose main period of flowering is autumnal. Both parents have dark flowers with reddish purple lips marked with yellow.	3 1/2"	\$7.50
143	BLC. CLIFTADA x LC. (SARGON x C. DIANA) The Cliftada parent has a smoothly-distributed phlox color in petals and sepals. The lip is purple with a centrally located yellow area at the opening of the throat. Winter and spring.	3"	\$7.50
174	BC. MINERVA (C. Dowiana aurea x BC. Mrs. J. Leeman) Fine forms of these well-known parents were used in the making of an old favorite. Both have yellow petals and sepals with dark lips. The Mrs. J. Leeman blooms in January.	3"	\$8.00
177	LC. (MASSASOIT x C. FABIA) x LC. (C. TITYUS x LC. ASBURY) Both parents produce dark flowers of good size and substance. The first plant blooms in late autumn or early spring.	3"	\$7.00

Charles Ockler

Hybrid No.	NAME AND DESCRIPTION	Pot Size	Price Per Pot
181	<b>LC. CANTAB x C. DOWIANA AUREA</b> LC. Cantab bears well-formed, phlox colored flowers of heavy texture and pleasing fragrance. Summer.	2"	\$3.00
182	<b>C. LEOMOS x C. GIGAS var. FRAU MELANIE BEYRODT</b> This is a mating between two clear whites with purple lips marked with yellow eyes. Both bloom in June or July.	Community	20.00
184	<b>LC. ISFIELD x C. (MOSSIAE x FLAMMEA)</b> Two spring blooming parents of great vigor and free-flowering characteristics. Both have medium dark flowers.	2"	3.50
187	<b>LC. SAM HOUSTON x BLC. ISHBEL</b> LC. Sam Houston bears large medium dark flowers with rich purple lips, brightened with clear yellow eyes. It blooms in the summer. The latter parent is a spring bloomer, characterized by a Mossiae type lip, good color and texture, and a very desirable growth habit.	2"	3.50
188	<b>C. (SNOWDON x C. ALCIMEDA ALBA) x C. LADY VEITCH</b> This is a mating between two white-flowered plants. Texture and form of both are good. The former blooms in the autumn, a plant of the latter may bloom severaltimes a year on different leads initiated at various times during the growing season.	2"	4.00
190	<b>LC. (CAPRI x CARMENCITA) x C. TRIANAEI</b> The seed parent produces deep phlox flowers in August. The lip is purple marked with orange areas. The trianaei is a well formed and beautifully colored selection from the latest generation of our inbred line.	Community	20.00
191	<b>LC. (SARGON x C. DIANA) x C. (MOSSIAE x FLAMMEA)</b> The parents of this hybrid are two of our best stud plants. The first blooms in the autumn and the second in the spring.	2"	3.50
192	<b>LC. CALIFORNIA x C. (DOWIANA var. AUREA x C. DOWIANA var. ROSITA)</b> This mating involves two autumn blooming parents. The improved strain of Dowiana should complement LC. California which is medium dark with a lip veined with orange and marked with a central area of deep reddish purple.	2"	3.00

*Clarelen Orchids*

10-104

10-104

10-104

10-104

10-104

10-104

10-104

10-104

10-104

10-104

10-104

10-104

10-104

10-104

10-104

10-104

10-104

10-104

10-104

# BIFOLIATE CATTLEYA HYBRIDS

No. Hybrid	NAME AND DESCRIPTION	Pot Size	Price Per Pot
24	<b>C. SKINNERI x LC. SCHILLERIANA</b>  This was one of our most popular offerings last year. The Laeliocattleya parent is white with a purple lip, while the Cattleya is a uniform phlox. May	4"	\$8.50
27	<b>C. BOWRINGIANA x LC. (SUNSHINE x C. DOWIANA AUREA)</b>  A certain percentage of these hybrids should be pure yellow with dark lips; others all dark. The second parent is a beautiful yellow with a wine-colored dark lip.	4½"	8.50
41	<b>C. LODDIGESII var. MENDOTA x C. ANNIE J. LINES</b>  The Loddigesii is a finely shaped and colored example of the species. It is a selection made and named by us from an importation made a number of years ago. The latter parent is extremely dark. November, December.	3"	7.50
64	<b>C. LODDIGESII x LC. WELLESIANA</b>  This is a mating between another fine winter blooming example of Loddigessi and LC. Wellesiana, a June blooming primary hybrid of C. trianaei and L. purpurata. Its flowers are light phlox with purple lips marked with yellow. Ready for 4" pots.	2"	6.00
75	<b>LC. IRENE (L. tenebrosa x C. bowringiana)</b>  A rich brown tenebrosa was crossed with a very productive bowringiana to give this hybrid. It should bloom in the warmer months of the year. Ready for 4" pots.	2"	4.50
78	<b>C. GRANULOSA x LC. G. S. BALL</b>  The orange-yellow of G. S. Ball should carry through in a high percentage of this cross, C. granulosa adding vigor, texture and floriferousness.	3"	6.50
112	<b>C. BOWRINGIANA x LC. (SARGON x C. DIANA)</b>  A fine bowringiana mated with one of the finest unifoliate hybrids we have ever seen. This should result in a heavy-textured, medium-sized, multi-flowered Laeliocattleya.	3"	8.00
140	<b>C. FABULOUS x C. GRANULOSA</b>  A mating between one of the darkest autumn types and a late summer species. Should have dark color and heavy texture.	2"	3.50

*Clarelen Orchids*

# BIOLOGICAL CATTLE HYBRIDS

Hybrid	Size	Price
24	4"	\$8.50
C. SKINNERI x LC. SCHILLERIANA		
The parent of one of our most popular hybrids is the Cattle-hybrid parent is white with a purple tip, while the Cattle-ye is a uniform phlox. May		
27	1 1/2"	7.50
C. BOWRINGIANA x LC. (SUNSHINE) (AUREA)		
A certain percentage of these hybrids should be pure yellow with dark tips; others all dark. The second parent is a bean-		
41	3"	7.50
C. LODDIGESII var. MENDOTA x C. ANNIE J. LINES		
The Loddigesii is a finely shaped and colored variety of the species. It is a selection made and named by us from an im-		
64	2"	5.00
C. LODDIGESII x LC. WELLESIANA		
This is a very interesting and popular hybrid. It is a cross of Loddigesii and LC. Wellesiana, a June flowering plant many hybrid of C. trineae and LC. purpurea. Its flowers are light phlox with purple tips marked with yellow. Ready for		
75	2"	4.50
LC. IRENE (L. tenetosa x C. bowringiana)		
A rich brown tenetosa was crossed with a very productive bowringiana to give this hybrid. It should bloom in the warm-er months of the year. Ready for 4" pots.		
78	3"	8.50
C. GRANULOSA x LC. G. S. BALL		
The orange-yellow of G. S. Ball should carry through in a high percentage of this cross, C. granulosa adding vigor, tex-		
92	3"	8.00
C. BOWRINGIANA x LC. (SARGON x C. DIANA)		
A fine bowringiana mated with one of the finest unifoliate hy-		
120	2"	9.50
C. TABULOUS x C. GRANULOSA		
A native parent one of the darkest known types and a late		

Charles D. ...



Hybrid No.	NAME AND DESCRIPTION	Pot Size	Price Per Pot
166	<b>C. GRANULOSA x C. HAROLD ALBA</b> The Harold parent has large white flowers with purple lips marked with a distinctive yellow area. The particular plant of the heavy-textured granulosa used has green petals and sepals uniformly ornamented with medium-sized discrete spots of purplish-black. The lip is white, flushed with pink, and covered with purple knobs. Late spring or early summer.	Community	\$15.00
168	<b>C. GUTTATA x C. HARDYANA var. SANDERIANA</b> A mating between an unspotted green type of the floriferous guttata and the free flowering Sanderiana variety of Hardyana. Probably will bloom in late spring.	2"	3.50
171	<b>C. WRAVINIANA (C. gigas x C. granulosa)</b> The granulosa parent was less heavily spotted than that used in No. 166. Summer.	2"	3.50
172	<b>C. BOWRINGIANA x LC. (MORNAY x C. MONDONI)</b> This mating between a floriferous, richly colored selection of bowringiana and a colorful, yellow hybrid should give bright, autumn-blooming progeny. The second parent has yellow petals and sepals with contrasting dahlia purple lips marked with orange veins.	2"	3.50

*Clarelon Orchids*

Hybrid No.	NAME AND DESCRIPTION	Total Size	Price Per Foot
166	C. GRANULOSA x C. HAROLD ALBA The Harold parent has large white flowers with purple lips marked with a distinctive yellow area. The particular plant of the heavy-textured granulosa used has green petals and sepals uniformly ornamented with medium-sized discrete spots of purplish-black. The lip is white, flushed with pink, and covered with purple knobs. Late spring or early summer.	2"	Community \$15.00
168	C. GUTTATA x C. HARDYANA var. SANDERIANA A mating between an unspotted green type of the floriferous guttata and the free-flowering Sanderiana variety of Hardyana. Probably will bloom in late spring.	2"	3.50
171	C. WRAVINIANA (C. rigae x C. granulosa) The granulosa parent was less heavily spotted than that used in No. 166. Summer.	2"	3.50
172	C. BOWRINGIANA x I.C. (MORNAV x C. MONDONI) This mating between a floriferous, richly colored selection of bowringiana and a colorful yellow hybrid should give bright autumn-blooming progeny. The second parent has yellow petals and sepals with contrasting double purple lips marked with orange veins.	2"	3.50

Charles O. Oakes



